



# TECHNICAL DATA

## FOR SIGA HERITAGE REPRODUCTION RECLAIMED SLATES



### TECHNICAL DATA

Size of Slates	600mm x 300mm
Minimum Pitch (100mm lap)	
Moderate Exposure	20°
Severe Exposure	25°
Maximum Pitch	90°
Typical Laps (mm)	75, 100
Maximum Gauge	253 - 266
Covering Capacity (Net Slates/m <sup>2</sup> )	
75mm Lap	12.28
100mm Lap	13.63
Weight of Slating (Approx, kg/m <sup>2</sup> )	
75mm Lap	30
100mm Lap	35
Battens Required (Net lin.m/m <sup>2</sup> )	
75mm Lap	3.8
100mm Lap	3.95
Batten Size Recommended (fixed to BS 5534)	
50 x 25mm for rafters/supports not exceeding 600mm centres	
Slate Nails	38mm x 2.65mm
(Copper to BS1202-2)	
Tested to	BS EN 492:2004



Reproduction Reclaimed  
 Grey Slate



Reproduction Reclaimed  
 Purple Slate

SIG Roofing,  
 Harding Way, St Ives,  
 Cambridgeshire,  
 PE27 3YJ  
 Tel: 01480 466777  
 Fax: 01480 302586  
 Email: [info@sigroofing.co.uk](mailto:info@sigroofing.co.uk)  
 Web: [www.sigroofing.co.uk](http://www.sigroofing.co.uk)