

Declaration of Performance No. 53s-DoP2020-10-15

		T	
1. Unique identification code of the product-type:		SIGA 53S	
2. Type, batch or serial number or any other element		Available on contractual documents and packaging :	
allowing identification of the construction product as		Quarry, selection, size, thickness.	
required under Article 11(4):			
3. Intended use or uses of the construction product,		Slate for discontinuous roofing and cladding	
in accordance with the applicable harmonized			
Technical Specification, as foreseen by	tne		
manufacturer:	stand tunda	CIC Doofing	
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as		SIG Roofing Harding Way, St. Ives, Cambridgeshire, PE27 3YJ	
required under Article 11(5):		marunig way, St. Ives, Cambridgesilire, PE2/ 31]	
5. Where applicable, name and contact address of the		N/A	
authorized representative whose mandate covers			
tasks specified in Article 12(2):	iate covers the		
6. System or systems of assessment and verification		AVCP System 4	
of constancy of performance of the construction		11. Gr System 1	
product as set out in CPR, Annex V:			
7. Declared Performance		<u> </u>	
			Harmonised technical
Essential characteristics	Performance		specification
Dimensional variation			
-Nominal thickness	5mm		EN 12326-1:2004
-Individual thickness	5mm (<+/-35%)		2: 2011
-Deviation of length and width	<+5mm		
-Deviation from edge straightness	<5mm or 1% (according to		
	applicab	le regulations)]
-Deviation from rectangularity	<+1mm		
Mechanical resistance	Transverse:	39.1Mpa]
(Characteristic modulus of rupture)	Longitudinal:	57.1MpA	
Water absorption	0.3% Code: W1(≤ 0,6%)		
Apparent calcium carbonate			
Durability:			
-Water absorption	0,31% Code: W1(≤ 0,6%)		
-Freeze-thaw cycling	Not Required]
-Thermal cycling	T1		
-Sulfur dioxide exposure	S1]
-Non-carbonate carbon content	0.3% Complies (≤ 2%)		
Release of dangerous substances	None in conditions of use as		
	roofing or external cladding		
External fire performance	Deemed to satisfy		

8. The performance of the product identified in Points 1 and 2 is in conformity with the declared performance in point.

Deemed to satisfy class A1

7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:



CE

Name and function: Philip Johns, Managing Director SIG UK <u>Place of issue:</u> SIG Roofing, Harding Way, St. Ives, Cambridgeshire, PE27 3YJ <u>Date of issue:</u> 15/10/2020

Reaction to fire

